

HAMPEL SOFTWARE ENGINEERING

hse-db

HAMPEL SOFTWARE ENGINEERING

Version 1.0.2 (2021-10-04)

TABLE OF CONTENTS

1. State Machines	2
2. Calling Dependency Diagrams	3
2.1. Overview	3
2.2. Callers	3
2.3. Listeners	4
Appendix A: DQMH	5
A.1. GenNet-Client.lvlib	5
A.2. GenNet-Server.lvlib	8
A.3. hse-db.lvlib	11
A.4. DB_CONNECTOR.lvlib	15
Appendix B: Libraries	21
B.1. hse-config.lvlib	21
B.2. hse-dqmh-dynamicrequesters.lvlib	21
B.3. hse-dqmh.lvlib	23
B.4. hse-gennet.lvlib	25
B.5. hse-misc.lvlib	27
B.6. hse-network.lvlib	57
B.7. hse-ui.lvlib	58
B.8. hse-db-ado.lvlib	61
B.9. ADO-DB-Driver.lvlib	61
B.10. hse-db-mysql.lvlib	63
B.11. MySQL (TCP).lvlib	64
B.12. hse-db-sqlite.lvlib	64

Documentation generated automatically and programmatically from LabVIEW!

This document was created fully automatically from the actual LabVIEW Source Code of this project using the [Release Automation Tools](#) of [Hampel Software Engineering](#).

1. STATE MACHINES

—no elements found—

2. CALLING DEPENDENCY DIAGRAMS


2.1. OVERVIEW

2.1.1. PROJECT




2.2. CALLERS

2.2.1. HSE-DB.LVLIB




2.2.2. DB_CONNECTOR.LVLIB



2.3. LISTENERS

2.3.1. DB_CONNECTOR.LVLIB



APPENDIX A: DQMH

DQMH modules documentation

A.1. GENNET-CLIENT.LVLIB

Type: Cloneable

Responsibility: No description found (add content in DQMH module lvlib description)

A.1.1. MODULE START/STOP CALLS




Table 1. Start and Stop module callers

Function	Callers
GenNet-Client.lvlib:Start Module.vi	Test GenNet-Client API.vi hse-gennet.lvlib:GenNet Init Client.vi
GenNet-Client.lvlib:Stop Module.vi	GenNet-Client.lvlib:Handle Exit.vi Test GenNet-Client API.vi

A.1.2. MODULE RELATIONSHIP



Table 2. Requests callers

Request Name	Callers
GenNet-Client.lvlib:Show Panel.vi	Test GenNet-Client API.vi
GenNet-Client.lvlib:Hide Panel.vi	GenNet-Client.lvlib:Main.vi Test GenNet-Client API.vi
GenNet-Client.lvlib:Show Diagram.vi	Test GenNet-Client API.vi
GenNet-Client.lvlib:Send via Network.vi	Test GenNet-Client API.vi

Request Name	Callers
GenNet-Client.lvlib:Listen for Network Broadcasts.vi	Test GenNet-Client API.vi
GenNet-Client.lvlib:Connect.vi	Test GenNet-Client API.vi hse-gennet.lvlib:GenNet Init Client.vi

Table 3. Broadcasts Listeners

Broadcast Name	Listeners
GenNet-Client.lvlib:Module Did Init.vi	Test GenNet-Client API.vi
GenNet-Client.lvlib:Status Updated.vi	Test GenNet-Client API.vi
GenNet-Client.lvlib:Error Reported.vi	Test GenNet-Client API.vi
GenNet-Client.lvlib:Module Did Stop.vi	Test GenNet-Client API.vi
GenNet-Client.lvlib:Update Module Execution Status.vi	Test GenNet-Client API.vi

Table 4. Used requests

Module	Requests
☒—☒	☒—☒

Table 5. Registered broadcast

Module	Broadcasts
☒—☒	☒—☒

A.1.3. MODULE CUSTOM ERRORS



Custom errors are added to the module via vi named `*--error.vi`.











Module GenNet-Client.lvlib use the following custom errors:







Table 6. Custom errors

Name	Code	Description
Module Running as Singleton	403680	The "%s" module is currently running as singleton, but the Start Module VI was called with 'Run as Singleton' specified as FALSE.
Module Not Stopped	403682	%s Module did not finish clean up on exit.
Module Not Synced	403683	%s Module was unable to synchronize events.
Module Not Running	403684	Not a single instance of "%s" Module running.
Module Running as Cloneable	403685	The "%s" module is currently running as cloneable, but the Start Module VI was called with 'Run as Singleton' specified as TRUE.
Request Timed Out	403686	The reply for the request "%s" of the "%s" Module timed out.
Request and Wait for Reply Timeout	403686	%s
Master Reference Not Closed	403687	The "%s" module cannot be run as singleton because the Master Reference is still open from a prior run as cloneable. If you plan on running this module as both singleton and cloneable, consider changing your Main VI to wire a value of TRUE to the 'Close Master Reference' input of Init Module.vi.

A.1.4. EVENT LIST

Table 7. Events

Name	Type	Connector pane	Description	S.	R.	I.
Start Module			Launches the Module Main.vi.			
Stop Module			<p>Send the Stop request to the Module's Main.vi. If Wait for Module to stop? is TRUE, then this VI will not complete execution until the Module Main VI has stopped running.</p> <p>Note: If the cloneable module is running as singleton, then the 'Wait for Module to stop?' input is ignored... this VI will always wait until a cloneable Main VI running as singleton has stopped running.</p> <p>Note: This VI was modified by the Validate DQMH Module tool to upgrade it to the DQMH 5.1 approach to poll the execution state of a cloneable module running as singleton to know when the module has gone idle.</p>			
Show Panel	→		Send the Show Panel request to the Module's Main.vi.			
Hide Panel	→		Send the Hide Panel request to the Module's Main.vi.			
Show Diagram	→		This VI tells the Module to show its block diagram to facilitate troubleshooting (add probes, breakpoints, highlight execution, etc).			
Send via Network	→		Forwards the message of a DQMH module via Network			
Connect	→		Open the TCP/IP connection to the listening module			
Listen for Network Broadcasts	→		Opens a port to listen for broadcasts sent by other modules via UDP			
Module Did Init	→		Send the Module Did Init event to any VI registered to listen to this module's broadcast events.			
Status Updated	→		Send the Status Updated event to any VI registered to listen to events from the owning module.			

Name	Type	Connector pane	Description	S.	R.	I.
Error Reported		 <p>Module ID Error Additional Information error in (no error)</p>	Send the Error Reported event to any VI registered to listen to events from the owning module.			
Module Did Stop		 <p>Module ID Origin error in (no error)</p>	Send the Module Did Stop event to any VI registered to listen to this module's broadcast events.			
Update Module Execution Status		 <p>Module ID Running? error in (no error)</p>	Fire the Get Module Execution Status request.			

Type:  → Request |  → Request and Wait for Reply |  → Broadcast

Scope:  → Protected |  → Community

Reentrancy:  → Preallocated reentrancy |  → Shared reentrancy

Inlining:  → Inlined

A.2. GENNET-SERVER.LVLIB

Type: Cloneable

Responsibility: No description found (add content in DQMH module lvlib description)

A.2.1. MODULE START/STOP CALLS




Table 8. Start and Stop module callers

Function	Callers
GenNet-Server.lvlib:Start Module.vi	Test GenNet-Server API.vi
GenNet-Server.lvlib:Stop Module.vi	GenNet-Server.lvlib:Main.vi GenNet-Server.lvlib:Handle Exit.vi Test GenNet-Server API.vi

A.2.2. MODULE RELATIONSHIP



Table 9. Requests callers

Request Name	Callers
GenNet-Server.lvlib:Show Panel.vi	Test GenNet-Server API.vi
GenNet-Server.lvlib:Hide Panel.vi	Test GenNet-Server API.vi
GenNet-Server.lvlib:Show Diagram.vi	Test GenNet-Server API.vi
GenNet-Server.lvlib:Forward Generic Broadcasts to Network.vi	Test GenNet-Server API.vi

Table 10. Broadcasts Listeners

Broadcast Name	Listeners
GenNet-Server.lvlib:Module Did Init.vi	Test GenNet-Server API.vi
GenNet-Server.lvlib>Status Updated.vi	Test GenNet-Server API.vi
GenNet-Server.lvlib>Error Reported.vi	Test GenNet-Server API.vi
GenNet-Server.lvlib:Module Did Stop.vi	Test GenNet-Server API.vi
GenNet-Server.lvlib:Update Module Execution Status.vi	Test GenNet-Server API.vi

Table 11. Used requests

Module	Requests
☒—☒	☒—☒

Table 12. Registered broadcast

Module	Broadcasts
☒—☒	☒—☒

A.2.3. MODULE CUSTOM ERRORS



Custom errors are added to the module via vi named `*--error.vi`.

Module GenNet-Server.lvlib use the following custom errors:







Table 13. Custom errors











Name	Code	Description
Module Running as Singleton	403680	The "%s" module is currently running as singleton, but the Start Module VI was called with 'Run as Singleton' specified as FALSE.
Module Not Stopped	403682	%s Module did not finish clean up on exit.
Module Not Synced	403683	%s Module was unable to synchronize events.
Module Not Running	403684	Not a single instance of "%s" Module running.

Name	Code	Description
Module Running as Cloneable	403685	The "%s" module is currently running as cloneable, but the Start Module VI was called with 'Run as Singleton' specified as TRUE.
Request and Wait for Reply Timeout	403686	%s
Master Reference Not Closed	403687	The "%s" module cannot be run as singleton because the Master Reference is still open from a prior run as cloneable. If you plan on running this module as both singleton and cloneable, consider changing your Main VI to wire a value of TRUE to the 'Close Master Reference' input of Init Module.vi.

A.2.4. EVENT LIST


Table 14. Events

Name	Type	Connector pane	Description	S.	R.	I.
Start Module		 <p>Run as Singleton? (F) Caller MsgQ error in (no error) Port Number</p> <p>Module ID GenNet-Server Broadcast Events Wait for Event Sync? error out</p>	Launches the Module Main.vi.			
Stop Module		 <p>Module ID Origin Wait for Module to stop? (F) error in (no error)</p> <p>error out</p>	<p>Send the Stop request to the Module's Main.vi. If Wait for Module to stop? is TRUE, then this VI will not complete execution until the Module Main VI has stopped running.</p> <p>Note: If the cloneable module is running as singleton, then the 'Wait for Module to stop?' input is ignored... this VI will always wait until a cloneable Main VI running as singleton has stopped running.</p> <p>Note: This VI was modified by the Validate DQMH Module tool to upgrade it to the DQMH 5.1 approach to poll the execution state of a cloneable module running as singleton to know when the module has gone idle.</p>			
Show Panel	➡	 <p>Module ID</p> <p>error in (no error)</p> <p>error out</p>	Send the Show Panel request to the Module's Main.vi.			
Hide Panel	➡	 <p>Module ID</p> <p>error in (no error)</p> <p>error out</p>	Send the Hide Panel request to the Module's Main.vi.			
Show Diagram	➡	 <p>Module ID</p> <p>error in (no error)</p> <p>error out</p>	This VI tells the Module to show its block diagram to facilitate troubleshooting (add probes, breakpoints, highlight execution, etc).			
Forward Generic Broadcasts to Network	➡	 <p>Module ID</p> <p>Generic Broadcast Events Network Broadcast Params error in (no error)</p> <p>error out</p>	Enables forwarding of the callers Generic Broadcast Events to the network via UDP as set in the Network Broadcast Params .			

Name	Type	Connector pane	Description	S.	R.	I.
Module Did Init		 <p>Module ID Origin Initialized? error in (no error)</p>	Send the Module Did Init event to any VI registered to listen to this module's broadcast events.			
Status Updated		 <p>Module ID Status error in (no error)</p>	Send the Status Updated event to any VI registered to listen to events from the owning module.			
Error Reported		 <p>Module ID Error Additional Information error in (no error)</p>	Send the Error Reported event to any VI registered to listen to events from the owning module.			
Module Did Stop		 <p>Module ID Origin error in (no error)</p>	Send the Module Did Stop event to any VI registered to listen to this module's broadcast events.			
Update Module Execution Status		 <p>Module ID Running? error in (no error)</p>	Fire the Get Module Execution Status request.			

Type:  → Request |  → Request and Wait for Reply |  → Broadcast

Scope:  → Protected |  → Community

Reentrancy:  → Preallocated reentrancy |  → Shared reentrancy

Inlining:  → Inlined

A.3. HSE-DB.LVLIB

Type: Cloneable

Responsibility: No description found (add content in DQMH module lvlib description)

A.3.1. MODULE START/STOP CALLS




Table 15. Start and Stop module callers

Function	Callers
hse-db.lvlib:Start Module.vi	DB_CONNECTOR.lvlib:Load Module.vi hse-db.lvlib:Test DB_CONNECTOR API.vi

Function	Callers
hse-db.lvlib:Stop Module.vi	DB_CONNECTOR.lvlib:Handle Exit.vi hse-db.lvlib:Test DB_CONNECTOR API.vi

A.3.2. MODULE RELATIONSHIP




Table 16. Requests callers

Request Name	Callers
hse-db.lvlib:DB_CONNECTOR.lvlib:Show Panel.vi	hse-db.lvlib:Test DB_CONNECTOR API.vi
hse-db.lvlib:DB_CONNECTOR.lvlib:Hide Panel.vi	hse-db.lvlib:Test DB_CONNECTOR API.vi
hse-db.lvlib:DB_CONNECTOR.lvlib:Show Diagram.vi	hse-db.lvlib:Test DB_CONNECTOR API.vi
hse-db.lvlib:DB_CONNECTOR.lvlib:Configure.vi	hse-db.lvlib:Test DB_CONNECTOR API.vi
hse-db.lvlib:DB_CONNECTOR.lvlib:Connect.vi	
hse-db.lvlib:DB_CONNECTOR.lvlib:Close Connection.vi	
hse-db.lvlib:DB_CONNECTOR.lvlib:Start Transaction.vi	hse-db.lvlib:Test DB_CONNECTOR API.vi
hse-db.lvlib:DB_CONNECTOR.lvlib:Fast Query.vi	hse-db.lvlib:Test DB_CONNECTOR API.vi
hse-db.lvlib:DB_CONNECTOR.lvlib:Set Module Timeout.vi	hse-db.lvlib:Test DB_CONNECTOR API.vi
hse-db.lvlib:DB_CONNECTOR.lvlib:Get DB-Type.vi	hse-db.lvlib:Test DB_CONNECTOR API.vi
hse-db.lvlib:DB_CONNECTOR.lvlib:Query.vi	DB_CONNECTOR.lvlib:Query - String - 2D.vi DB_CONNECTOR.lvlib:Query - String - 1D.vi DB_CONNECTOR.lvlib:Query - String - Scalar.vi DB_CONNECTOR.lvlib:Query - Int64 - 2D.vi DB_CONNECTOR.lvlib:Query - Int64 - 1D.vi DB_CONNECTOR.lvlib:Query - Int64 - Scalar.vi DB_CONNECTOR.lvlib:Query - DBL - 2D.vi DB_CONNECTOR.lvlib:Query - DBL - 1D.vi DB_CONNECTOR.lvlib:Query - DBL - Scalar.vi
hse-db.lvlib:DB_CONNECTOR.lvlib:Commit Transaction.vi	hse-db.lvlib:Test DB_CONNECTOR API.vi

Table 17. Broadcasts Listeners

Broadcast Name	Listeners
hse-db.lvlib:DB_CONNECTOR.lvlib:Module Did Init.vi	
hse-db.lvlib:DB_CONNECTOR.lvlib>Status Updated.vi	
hse-db.lvlib:DB_CONNECTOR.lvlib>Error Reported.vi	
hse-db.lvlib:DB_CONNECTOR.lvlib:Module Did Stop.vi	
hse-db.lvlib:DB_CONNECTOR.lvlib:Update Module Execution Status.vi	

Broadcast Name	Listeners
hse-db.lvlib:DB_CONNECTOR.lvlib:Fast Query Reply.vi	

Table 18. Used requests

Module	Requests
DB_CONNECTOR.lvlib	hse-db.lvlib:DB_CONNECTOR.lvlib:Show Panel.vi hse-db.lvlib:DB_CONNECTOR.lvlib:Hide Panel.vi hse-db.lvlib:DB_CONNECTOR.lvlib:Show Diagram.vi hse-db.lvlib:DB_CONNECTOR.lvlib:Configure.vi hse-db.lvlib:DB_CONNECTOR.lvlib:Start Transaction.vi hse-db.lvlib:DB_CONNECTOR.lvlib:Fast Query.vi hse-db.lvlib:DB_CONNECTOR.lvlib:Set Module Timeout.vi
DB_CONNECTOR.lvlib	hse-db.lvlib:DB_CONNECTOR.lvlib:Get DB-Type.vi hse-db.lvlib:DB_CONNECTOR.lvlib:Commit Transaction.vi

Table 19. Registered broadcast

Module	Broadcasts
DB_CONNECTOR.lvlib	Error Reported.vi Fast Query Reply.vi Module Did Init.vi Module Did Stop.vi Status Updated.vi

A.3.3. MODULE CUSTOM ERRORS



Custom errors are added to the module via vi named `*--error.vi`.












Module hse-db.lvlib use the following custom errors:



















Table 20. Custom errors

Name	Code	Description
Module Running as Singleton	403680	The "%s" module is currently running as singleton, but the Start Module VI was called with 'Run as Singleton' specified as FALSE.
Module Not Stopped	403682	%s Module did not finish clean up on exit.
Module Not Synced	403683	%s Module was unable to synchronize events.
Module Not Running	403684	Not a single instance of "%s" Module running.
Module Running as Cloneable	403685	The "%s" module is currently running as cloneable, but the Start Module VI was called with 'Run as Singleton' specified as TRUE.
Request Timed Out	403686	The reply for the request "%s" of the "%s" Module timed out.
Request and Wait for Reply Timeout	403686	%s
Master Reference Not Closed	403687	The "%s" module cannot be run as singleton because the Master Reference is still open from a prior run as cloneable. If you plan on running this module as both singleton and cloneable, consider changing your Main VI to wire a value of TRUE to the 'Close Master Reference' input of Init Module.vi.

A.3.4. EVENT LIST



Table 21. Events

Name	Type	Connector pane	Description	S.	R.	I.
Start Module			Launches the Module Main.vi.			
Stop Module			<p>Send the Stop request to the Module's Main.vi. If Wait for Module to stop? is TRUE, then this VI will not complete execution until the Module Main VI has stopped running.</p> <p>Note: If the cloneable module is running as singleton, then the 'Wait for Module to stop?' input is ignored... this VI will always wait until a cloneable Main VI running as singleton has stopped running.</p> <p>Note: This VI was modified by the Validate DQMH Module tool to upgrade it to the DQMH 5.1 approach to poll the execution state of a cloneable module running as singleton to know when the module has gone idle.</p>			
Show Panel	→		Send the Show Panel request to the Module's Main.vi.			
Hide Panel	→		Send the Hide Panel request to the Module's Main.vi.			
Show Diagram	→		This VI tells the Module to show its block diagram to facilitate troubleshooting (add probes, breakpoints, highlight execution, etc).			
Configure	→		Triggers the auto-configuration of the module			
Connect	→		Connect to database.			
Close Connection	→		Close connection to the database.			
Start Transaction	→		Start a transaction to get sure all following SQL commands get executed or none.			
Fast Query	→		An asynchronous query to the DB. This request does not block and has no reply. To receive the db response register to the corresponding broadcast.			
Get DB-Type	→		Returns the type of the database in DB-Type			

Name	Type	Connector pane	Description	S.	R.	I.
Query		 <p>Module ID Query error in (no error) Reply Payload timed out? error out</p>	Send a SQL-Query to the database.			
Commit Transaction		 <p>Module ID COMMIT TRANSA error in (no error) Reply Payload timed out? error out</p>	Commit a transaction. Either all SQL-commands get committed or, in case of an error, all get rejected.			
Set Module Timeout		 <p>Module ID Module Timeout error in (no error) error out</p>	Overrides the DQMH internal Module Timeout with the specified value (must be greater than 0)			
Module Did Init		 <p>Module ID Origin Initialized? error in (no error) error out</p>	Send the Module Did Init event to any VI registered to listen to this module's broadcast events.			
Status Updated		 <p>Module ID Status error in (no error) error out</p>	Send the Status Updated event to any VI registered to listen to events from the owning module.			
Error Reported		 <p>Module ID Error Additional Information error in (no error) error out</p>	Note: This VI was modified by the Validate DQMH Module tool to parse additional information tags out of the incoming error source string.			
Module Did Stop		 <p>Module ID Origin error in (no error) error out</p>	Send the Module Did Stop event to any VI registered to listen to this module's broadcast events.			
Update Module Execution Status		 <p>Module ID Running? error in (no error) error out</p>	Fire the Get Module Execution Status request.			
Fast Query Reply		 <p>Module ID Return Data Meta Data Field Names error in (no error) error out</p>	The database reply from a (asynchronous) "Fast Query".			

Type:  → Request |  → Request and Wait for Reply |  → Broadcast

Scope:  → Protected |  → Community

Reentrancy:  → Preallocated reentrancy |  → Shared reentrancy

Inlining:  → Inlined

A.4. DB_CONNECTOR.LVLIB

Type: Cloneable

Responsibility: No description found (add content in DQMH module lvlib description)

A.4.1. MODULE START/STOP CALLS




Table 22. Start and Stop module callers

Function	Callers
DB_CONNECTOR.lvlib:Start Module.vi	DB_CONNECTOR.lvlib:Load Module.vi hse-db.lvlib:Test DB_CONNECTOR API.vi
DB_CONNECTOR.lvlib:Stop Module.vi	DB_CONNECTOR.lvlib:Handle Exit.vi hse-db.lvlib:Test DB_CONNECTOR API.vi

A.4.2. MODULE RELATIONSHIP




Table 23. Requests callers

Request Name	Callers
hse-db.lvlib:DB_CONNECTOR.lvlib:Show Panel.vi	hse-db.lvlib:Test DB_CONNECTOR API.vi
hse-db.lvlib:DB_CONNECTOR.lvlib:Hide Panel.vi	hse-db.lvlib:Test DB_CONNECTOR API.vi
hse-db.lvlib:DB_CONNECTOR.lvlib:Show Diagram.vi	hse-db.lvlib:Test DB_CONNECTOR API.vi
hse-db.lvlib:DB_CONNECTOR.lvlib:Configure.vi	hse-db.lvlib:Test DB_CONNECTOR API.vi
hse-db.lvlib:DB_CONNECTOR.lvlib:Connect.vi	
hse-db.lvlib:DB_CONNECTOR.lvlib:Close Connection.vi	
hse-db.lvlib:DB_CONNECTOR.lvlib:Start Transaction.vi	hse-db.lvlib:Test DB_CONNECTOR API.vi
hse-db.lvlib:DB_CONNECTOR.lvlib:Fast Query.vi	hse-db.lvlib:Test DB_CONNECTOR API.vi
hse-db.lvlib:DB_CONNECTOR.lvlib:Set Module Timeout.vi	hse-db.lvlib:Test DB_CONNECTOR API.vi
hse-db.lvlib:DB_CONNECTOR.lvlib:Get DB-Type.vi	hse-db.lvlib:Test DB_CONNECTOR API.vi

Request Name	Callers
hse-db.lvlib:DB_CONNECTOR.lvlib:Query.vi	DB_CONNECTOR.lvlib:Query - String - 2D.vi DB_CONNECTOR.lvlib:Query - String - 1D.vi DB_CONNECTOR.lvlib:Query - String - Scalar.vi DB_CONNECTOR.lvlib:Query - Int64 - 2D.vi DB_CONNECTOR.lvlib:Query - Int64 - 1D.vi DB_CONNECTOR.lvlib:Query - Int64 - Scalar.vi DB_CONNECTOR.lvlib:Query - DBL - 2D.vi DB_CONNECTOR.lvlib:Query - DBL - 1D.vi DB_CONNECTOR.lvlib:Query - DBL - Scalar.vi
hse-db.lvlib:DB_CONNECTOR.lvlib:Commit Transaction.vi	hse-db.lvlib:Test DB_CONNECTOR API.vi

Table 24. Broadcasts Listeners

Broadcast Name	Listeners
hse-db.lvlib:DB_CONNECTOR.lvlib:Module Did Init.vi	hse-db.lvlib:Test DB_CONNECTOR API.vi
hse-db.lvlib:DB_CONNECTOR.lvlib>Status Updated.vi	hse-db.lvlib:Test DB_CONNECTOR API.vi
hse-db.lvlib:DB_CONNECTOR.lvlib>Error Reported.vi	hse-db.lvlib:Test DB_CONNECTOR API.vi
hse-db.lvlib:DB_CONNECTOR.lvlib:Module Did Stop.vi	hse-db.lvlib:Test DB_CONNECTOR API.vi
hse-db.lvlib:DB_CONNECTOR.lvlib:Update Module Execution Status.vi	hse-db.lvlib:Test DB_CONNECTOR API.vi
hse-db.lvlib:DB_CONNECTOR.lvlib:Fast Query Reply.vi	hse-db.lvlib:Test DB_CONNECTOR API.vi

Table 25. Used requests

Module	Requests
hse-db.lvlib	hse-db.lvlib:DB_CONNECTOR.lvlib:Query.vi

Table 26. Registered broadcast

Module	Broadcasts
☒—☒	☒—☒

A.4.3. MODULE CUSTOM ERRORS



Custom errors are added to the module via vi named `*--error.vi`.

Module DB_CONNECTOR.lvlib use the following custom errors:








Table 27. Custom errors



























Name	Code	Description
Module Running as Singleton	403680	The "%s" module is currently running as singleton, but the Start Module VI was called with 'Run as Singleton' specified as FALSE.
Module Not Stopped	403682	%s Module did not finish clean up on exit.
Module Not Synced	403683	%s Module was unable to synchronize events.
Module Not Running	403684	Not a single instance of "%s" Module running.
Module Running as Cloneable	403685	The "%s" module is currently running as cloneable, but the Start Module VI was called with 'Run as Singleton' specified as TRUE.

Name	Code	Description
Request Timed Out	403686	The reply for the request "%s" of the "%s" Module timed out.
Request and Wait for Reply Timeout	403686	%s
Master Reference Not Closed	403687	The "%s" module cannot be run as singleton because the Master Reference is still open from a prior run as cloneable. If you plan on running this module as both singleton and cloneable, consider changing your Main VI to wire a value of TRUE to the 'Close Master Reference' input of Init Module.vi.

A.4.4. EVENT LIST



Table 28. Events

Name	Type	Connector pane	Description	S.	R.	I.
Start Module		 <p>Run as Singleton? (F) — DB-Engine — DB_CONNECTOR Broadcast Events — Wait for Event Sync? — error in (no error) — error out</p>	Launches the Module Main.vi.			
Stop Module		 <p>Module ID — Origin — Wait for Module to stop? (F) — error in (no error) — error out</p>	<p>Send the Stop request to the Module's Main.vi. If Wait for Module to stop? is TRUE, then this VI will not complete execution until the Module Main VI has stopped running.</p> <p>Note: If the cloneable module is running as singleton, then the 'Wait for Module to stop?' input is ignored... this VI will always wait until a cloneable Main VI running as singleton has stopped running.</p> <p>Note: This VI was modified by the Validate DQMH Module tool to upgrade it to the DQMH 5.1 approach to poll the execution state of a cloneable module running as singleton to know when the module has gone idle.</p>			
Show Panel	→	 <p>Module ID — DB SHOW PANEL — error in (no error) — error out</p>	Send the Show Panel request to the Module's Main.vi.			
Hide Panel	→	 <p>Module ID — DB HIDE PANEL — error in (no error) — error out</p>	Send the Hide Panel request to the Module's Main.vi.			
Show Diagram	→	 <p>Module ID — DB SHOW DIAGRAM — error in (no error) — error out</p>	This VI tells the Module to show its block diagram to facilitate troubleshooting (add probes, breakpoints, highlight execution, etc).			
Configure	→	 <p>Module ID — DB CONFIG — Module ID (dub) — error in (no error) — error out</p>	Triggers the auto-configuration of the module			
Connect	→	 <p>Module ID — DB CONNEX — error in (no error) — error out</p>	Connect to database.			

Name	Type	Connector pane	Description	S.	R.	I.
Close Connection		 <p>Module ID</p> <p>error in (no error)</p> <p>error out</p>	Close connection to the database.			
Start Transaction		 <p>Module ID</p> <p>error in (no error)</p> <p>error out</p>	Start a transaction to get sure all following SQL commands get executed or none.			
Fast Query		 <p>Module ID</p> <p>Query</p> <p>error in (no error)</p> <p>error out</p>	An asynchronous query to the DB. This request does not block and has no reply. To receive the db response register to the corresponding broadcast.			
Get DB-Type		 <p>Module ID</p> <p>error in (no error)</p> <p>DB-Type</p> <p>error out</p>	Returns the type of the database in DB-Type			
Query		 <p>Module ID</p> <p>Query</p> <p>error in (no error)</p> <p>Reply Payload</p> <p>timed out?</p> <p>error out</p>	Send a SQL-Query to the database.			
Commit Transaction		 <p>Module ID</p> <p>error in (no error)</p> <p>Reply Payload</p> <p>timed out?</p> <p>error out</p>	Commit a transaction. Either all SQL-commands get committed or, in case of an error, all get rejected.			
Set Module Timeout		 <p>Module ID</p> <p>Module Timeout</p> <p>error in (no error)</p> <p>error out</p>	Overrides the DQMH internal Module Timeout with the specified value (must be greater than 0)			
Module Did Init		 <p>Module ID</p> <p>Origin</p> <p>Initialized?</p> <p>error in (no error)</p> <p>error out</p>	Send the Module Did Init event to any VI registered to listen to this module's broadcast events.			
Status Updated		 <p>Module ID</p> <p>Status</p> <p>error in (no error)</p> <p>error out</p>	Send the Status Updated event to any VI registered to listen to events from the owning module.			
Error Reported		 <p>Module ID</p> <p>Error</p> <p>Additional Information</p> <p>error in (no error)</p> <p>error out</p>	Note: This VI was modified by the Validate DQMH Module tool to parse additional information tags out of the incoming error source string.			
Module Did Stop		 <p>Module ID</p> <p>Origin</p> <p>error in (no error)</p> <p>error out</p>	Send the Module Did Stop event to any VI registered to listen to this module's broadcast events.			
Update Module Execution Status		 <p>Module ID</p> <p>Running?</p> <p>error in (no error)</p> <p>error out</p>	Fire the Get Module Execution Status request.			
Fast Query Reply		 <p>Module ID</p> <p>Return Data</p> <p>Meta Data</p> <p>Field Names</p> <p>error in (no error)</p> <p>error out</p>	The database reply from a (asynchronous) "Fast Query".			

Type:  → Request |  → Request and Wait for Reply |  → Broadcast

Scope:  → Protected |  → Community

Reentrancy:  → Preallocated reentrancy |  → Shared reentrancy

Inlining:  → Inlined

APPENDIX B: LIBRARIES

Misc. reuse libraries

B.1. HSE-CONFIG.LVLIB

Responsibility: No description found (add content in lvlib description)

Version: 1.0.0.0

Table 29. Nested libraries

Name	Type
[config-base.lvclass]	LVClass
[config-ini.lvclass]	LVClass






This library has no functions set to non private scope.














B.2. HSE-DQMH-DYNAMICREQUESTERS.LVLIB





Responsibility: No description found (add content in lvlib description)


Version: 1.0.0.0



Table 30. Functions (non private scope only)

Name	Connector pane	Description	S.	R.	I.
Default Broadcast (Cloneable)--template					
Request UI Display (Cloneable)--template		No description found (add content in vi description)			
Show Diagram (Cloneable)--template		No description found (add content in vi description)			
DQMH Configure (Cloneable)		Calls the "Configure" request VI of the module in path			
DQMH Obtain Default Broadcast Events (Cloneable)		Calls the "Obtain Default Broadcast Events" request VI of the module in path			

Name	Connector pane	Description	S.	R.	I.
DQMH Prepare (Cloneable)		Calls the "Prepare" request VI of the module in path			
DQMH Request UI Display (Cloneable)		Calls the "Request UI Display" request VI of the module in Path to module directory . Hands over the Module ID and the Display Scenario .			
DQMH Show Diagram (Cloneable)		Calls the "Request UI Display" request VI of the module in Path to module directory . Hands over the Module ID and the Display Scenario .			
Default Broadcast—template					
Request UI Display—template		No description found (add content in vi description)			
Set Modules—template		No description found (add content in vi description)			
DQMH Configure		Calls the "Configure" request VI of the module in path			
DQMH Load API Tester		Calls the "Load Module" request VI of the module in path			
DQMH Load Module		Calls the "Load Module" request VI of the module in path			
DQMH Obtain Default Broadcast Events		Calls the "Obtain Default Broadcast Events" request VI of the module in path			
DQMH Prepare		Calls the "Prepare" request VI of the module in path			
DQMH Request UI Display		Calls the "Request UI Display" request VI of the module in Path to module directory . Hands over the Module Name and the Display Scenario .			
DQMH Set Modules		Calls the "Set Modules" request VI of the module in Path to module directory . Hands over paths to all dynamically loaded modules in modules to load dynamically .			

Name	Connector pane	Description	S.	R.	I.
DQMH Set Runtime Menu		Calls the "Set Runtime Menu" request VI of the module in Path to module directory. Hands over the Path to .rtm file.			
DQMH Show Diagram		Calls the "Request UI Display" request VI of the module in Path to module directory. Hands over the Module Name and the Display Scenario.			
DQMH Show Panel		Calls the "Show Panel" request VI of the module in Path to module directory			
DQMH Stop Module		Calls the "Stop Module" request VI of the module in Path to module directory			

Scope:  → Protected |  → Community

Reentrancy:  → Preallocated reentrancy |  → Shared reentrancy






Inlining:  → Inlined
















B.3. HSE-DQMH.LVLIB



Responsibility: No description found (add content in lplib description)

Version: 1.0.0.0

Table 31. Functions (non private scope only)

Name	Connector pane	Description	S.	R.	I.
DQMH Build Module Disk Path From DQMH Path		Parses the Instance Name for the Clone ID and returns the full path to the module's directory, the Clone ID and the module's name			
DQMH Get Fully Delimited Instance Name from Module Name		Parses the fully delimited VI name from the module path and the module name. For cloneables, the clone ID is appended to the VI name.			
DQMH Get Module Type		Returns the type (singleton or cloneable) of the module in Module Path			

Name	Connector pane	Description	S.	R.	I.
DQMH Load Main VI Reference		<p>Loads the VI reference to a Singleton DQMH module's main.vi. On Linux RT in Runtime Environment, the main.vi is loaded reentrant in order to circumvent a bug in LabVIEW.</p> <p>Details: On Linux RT with Embedded UI enabled running a startup.exe, a VI server invoke method (Control Value.set) doesn't work. This is possibly related to / covered by CAR 514879 (see https://forums.ni.com/t5/Delacor-Toolkits-Discussions/Deploy-and-run-at-Startup-for-RT-systems/m-p/3620339/highlight/true#M256).</p> <p>In order for this VI to work, you need to: 1. set the DQMH module's main.vi execution setting to "preallocated clone reentrant execution" 2. set the DQMH module's main.vi scope to "community" 3. add the hse-dqmh.lvlib as a friend in the DQMH module's .lvlib Friends properties</p>			
DQMH Request Reply Timed Out—error		No description found (add content in vi description)			
DQMH System Message - Add to Run-Time Menu		Sends the modul's Path and Module Descriptor via the "Add to Run-Time Menu" System Message broadcast. The UI Manager inserts the module into the relevant locations in the run-time menu.			
DQMH System Message - Get Module Identifier		No description found (add content in vi description)			
DQMH System Message - Ready for Display		No description found (add content in vi description)			
DQMH System Message - Remove from Run-Time Menu		No description found (add content in vi description)			
DQMH System Message - Removed from Subpanel		No description found (add content in vi description)			
DQMH Tester Cleanup hse-appl		If the hse-application object was instantiated and the hse-logger was initialized when starting the Tester, this VI cleans up both objects.			

Name	Connector pane	Description	S.	R.	I.
DQMH Tester Prepare hse- appl - Get Name and Path		<p>Returns APP-NAME as Project Name and /APP-NAME_Source as Project Path</p> <p>HSE projects follow this folder structure: /APP-NAME_Config Configuration Files /APP-NAME_Data Measured and Other Data /APP-NAME_Source LabVIEW Sources /APP-NAME Compiled Application</p> <p>REAL-TIME: As the configuration directory on real-time systems always needs to reside at "C:\<Project Name>_Config\", and as it tedious (embedded UI) or impossible (no embedded UI) to enter the path, it can be supplied via the optional Real-Time App Name string input.</p>			
DQMH Tester Prepare hse- appl		<p>If the hse-application class is not running, queries the user for the path of the containing application and instantiates the hse-appl class. Returns if it did load the class.</p> <p>HSE projects follow this folder structure: /APP-NAME_Config Configuration Files /APP-NAME_Data Measured and Other Data /APP-NAME_Source LabVIEW Sources /APP-NAME Compiled Application</p> <p>The hse-application:ApplicationInit.VI expects the "APP-NAME_Source" folder and the "application name", and processes these to automatically find the "_Config" and "_Data" directories.</p> <p>REAL-TIME: As the configuration directory on real-time systems always needs to reside at "C:\<Project Name>_Config\", and as it tedious (embedded UI) or impossible (no embedded UI) to enter the path, it can be supplied via the optional Real-Time App Name string input.</p>			

Scope:  → Protected |  → Community

Reentrancy:  → Preallocated reentrancy |  → Shared reentrancy

Inlining:  → Inlined

B.4. HSE-GENNET.LVLIB

Responsibility: The DQMH-GenNet library contains all support files necessary to use the HSE Generic Networking Singleton Module provided by HAMEL SOFTWARE ENGINEERING.

The Delacor Queued Message Handler (DQMH) reference design is provided by Delacor, an NI Alliance Partner. The DQMH is available for download from the LabVIEW Tools Network. You can find more information on the Delacor Queued Message Handler (DQMH) at <http://delacor.com/products/dqmh/>.










Version: 1.0.0.0

Table 32. Nested libraries


Name	Type
[DQMH-GenNet Message Queue.lvclass]	LVClass

Table 33. Functions (non private scope only)

Name	Connector pane	Description	S.	R.	I.
GenNet Close UDP Connection	 UDP Network Connection in, error in (no error), UDP Network Connection out, error out	Closes a TCP/IP connection.			
GenNet Send UDP Message	 Multicast IP Address, Receiver Port, UDP Network Connection in, error in (no error), timeout [ms], UDP Network Connection out, error out	Sends a message via TCP/IP to a GenNet-Server module. The message is flattened to a string, and the length of the string is prepended before sending it over the network.			
GenNet Receive UDP Message	 UDP Network Connection in, error in (no error), timeout [ms], Max Byte Size, Message Data, error out	Receives a message sent by a GenNet-Client module. The first 4 bytes of the message contain the length of the actual data sent. The received message is converted to a variant.			
GenNet Get Broadcast Name From Variant	 Broadcast Data IN, error in, Broadcast Name, Broadcast Data Out, error out	No description found (add content in vi description)			
GenNet Add Broadcast Name To Variant	 Broadcast Data IN, Broadcast Name, Variant OUT	No description found (add content in vi description)			
DQMH-GenNet Add Notifier To Variant	 Event Data IN, Wait Notifier, GEN-NET, Variant OUT	HSE: If a notifier reference is given, stores it as an attribute inside the Message Data variant. The notification data type is variant.			
DQMH-GenNet Get Notifier From Variant	 Message Data Variant, error in, GEN-NET, Wait Notifier, error out	HSE: Gets the Wait Notifier Refnum (datatype variant) from the Message Data variant			
GenNet Check Connection	 ip address, remote port, error in (no error), timeout [ms], local port (0), GEN-NET, TCP Network Connection out, error out	Checks for a valid TCP/IP connection. Reestablishes the connection if no valid connection found. Creates a new connection if none was given.			
GenNet Close Connection	 TCP Network Connection in, error in (no error), GEN-NET, TCP Network Connection out, error out	Closes a TCP/IP connection.			
GenNet Format System Message for MsgQ	 Identifier, Sys. Msg. Origin, Payload, GEN-NET, System Message constant, System Message Argument	Formats the contents of a System Message			
GenNet Init Client	 DQMH-GenNet Message Queue in, IP Address, Port Number, error in (no error), System Message, Module Timeout, GEN-NET, GenNet-Client ID out, DQMH-GenNet Message Queue out, error out	Initializes a GenNet Client if ClientID == -1 and automatically connects to it. See usage example inside for how to use this VI.			

Name	Connector pane	Description	S.	R.	I.
GenNet Receive Message	 TCP Network Connection in error in (no error) timeout [ms] TCP Network Connection out Message Data error out	Receives a message sent by a GenNet-Client module. The first 4 bytes of the message contain the lenght of the actual data sent. The received message is converted to a variant.			
GenNet Send Message	 TCP Network Connection in Message Data error in (no error) timeout [ms] TCP Network Connection out error out	Sends a message via TCP/IP to a GenNet-Server module. The message is flattened to a string, and the length of the string is prepended before sending it over the network.			
GenNet Version-Safe Unflatten Variant	 Flattened Data error in GEN-NET LV-VERS Message Data error out	Unflattens a variant from a string. Automatically prepends the correct header if the variant was flattened in another LabVIEW version.			

Scope:  → Protected |  → Community

Reentrancy:  → Preallocated reentrancy |  → Shared reentrancy








Inlining:  → Inlined



















B.5. HSE-MISC.LVLIB

Responsibility: source code password: bowman-tyro-kickback-besides



Version: 1.0.0.0

Table 34. Functions (non private scope only)


Name	Connector pane	Description	S.	R.	I.
ColorCycle	 Colorcycle Reset Error In Color All Colors Color Count Error Out	With every call, this VI returns a color from a color pallet. If the last color from a pallet is reached, the VI continues with the first color. This Vi is useful to give plots and graphs better looking colors. The color sets are inspired by a subset of the colormaps from the Python plotting library Matplotlib.			
Get Enum Details from Type String	 type string IN Name Item Strings Item Count	No description found (add content in vi description)			
Get Multiple Attributes from Variant	 Variant in Keys error in HSE GET MULTI ATTR Values error out	No description found (add content in vi description)			
Graph Scale Axis	 Values error in HSE SCALES Maximum Minumum error out	Calculates usefull values for the Graph scaling (Minimum, Maximum) that go 10% over the min/max-values and include zero.			


Name	Connector pane	Description	S.	R.	I.
Set Multiple Attributes to Variant		Set multiple attributes (key-values-pairs) to a variant.			
Simple Edge Detection (Falling)		Returns True if a falling edge (True -> False) occurs. (This VI is inlined.)			
Simple Edge Detection (Rising)		Returns True if a rising edge (False -> True) occurs. (This VI is inlined.)			
Simple Latch		A simple boolean latch with reset functionality.			
Wait_ErrorCluster		Simple wrapper for the Wait function that allows for data flow.			
ConvertStringToFloat_Array-1D		converts array of string values to floating point values			
ConvertStringToFloat_Array-2D		converts array of string values to floating point values			
ConvertStringToFloat_Scalar		converts single string value to floating point value			


Name	Connector pane	Description	S.	R.	I.
Filename Sanitizer		+++Removes all characters that are not supported in filenames (/ \ : * ? " < >))		
:imgpath: empty.png [empty.png]	Find Data Type	:imgpath: hse_misc.lvlib_Find_Data_Type.vi___.png [hse- misc.lvlib:Find Data Type.vi]	N		


Name	Connector pane	Description	S.	R.	I.
:imgpath: empty.png [empty.png]	Represent Boolean	:imgpath: hse_misc.lvlib_Represent_Boolean.vi____.png [hse-misc.lvlib:Represent Boolean.vi]	N o d e s c r i p t i o n f o u n d (a d d c o n t e n t i n v i d e s c r i p t i o n)		
:imgpath: inlined.png [inlined.png]	Text to UTF-8 Wrapper	:imgpath: hse_misc.lvlib_Text_to_UTF_8_Wrapper.vi____.png [hse-misc.lvlib:Text to UTF-8 Wrapper.vi]	C o n v e r t s L a b V I E W t e x t t o U T F - 8.		

Name	Connector pane	Description	S.	R.	I.
:imgpath: inlined.png [inlined.png]	UTF-8 to Text Wrapper	:imgpath: hse_misc.lvlib_UTF_8_to_Text_Wrapper.vi____.png [hse-misc.lvlib:UTF-8 to Text Wrapper.vi]	Converts UTF-8 text to text encoded in the specified system.		
:imgpath: inlined.png [inlined.png]	U8-Array to U64	:imgpath: hse_misc.lvlib_U8_Array_to_U64.vi____.png [hse-misc.lvlib:U8-Array to U64.vi]	Convert an array of Bytes (U8) to an array of U64.		


Name	Connector pane	Description	S.	R.	I.
:imgpath: empty.png [empty.png]	U64-Array to U8	:imgpath: hse_misc.lvlib_U64_Array_to_U8.vi____.png [hse- misc.lvlib:U64-Array to U8.vi]	Co nv er t an ar ra y of U6 4 to an ar ra y of By te s (U 8).		


Name	Connector pane	Description	S.	R.	I.
:imgpath: empty.png [empty.png]	Variant_BuildClusterFromElementArray	:imgpath: hse_misc.lvlib_Variant_BuildClusterFromElementArray.vi___.png [hse- misc.lvlib:Variant_BuildClusterFromElementArray.vi]	Fr o m th e La bV IE W O pe n So ur ce pr oj ec t Da ta M an ip ul ati on lib ra ry v1 .4. 0 by Fr an co is N or m an di n (ht tp s:/ /gi th ub .c o m/ La bV IE W- O pe n		

Name	Connector pane	Description	S.	R.	I.
:imgpath: inlined.png [inlined.png]	Variant_EmptyCluster	:imgpath: hse_misc.lvlib_Variant_EmptyCluster.vi____.png [hse-misc.lvlib:Variant_EmptyCluster.vi]	Fr o m th e La bV IE W O pe n So ur ce pr oj ec t Da ta M an ip ul ati on lib ra ry v1 .4. 0 by Fr an co is N or m an di n (ht tp s:/ /gi th ub .c o m/ La bV IE W- O pe n- So		



Name	Connector pane	Description	S.	R.	I.
:imgpath: inlined.png [inlined.png]	LV Timestamp to Unix Epoch	:imgpath: hse_misc.lvlib_LV_Timestamp_to_Unix_Epoch.vi _.png [hse-misc.lvlib:LV Timestamp to Unix Epoch.vi]	Co nv ert a La bV ie w Ti m es ta m p (U TC Ti m ez on e) to a U ni x Ep oc h Ti m es ta m p (C ti m e_ t).		


Name	Connector pane	Description	S.	R.	I.
:imgpath: inlined.png [inlined.png]	Seconds to Time	:imgpath: hse_misc.lvlib_Seconds_to_Time.vi____.png [hse- misc.lvlib:Seconds to Time.vi]	Co nv er t a ti m e ra ng e (in se co nd s) to a ti m e str in g in th e for m at "h h: m m: ss ". E. g. 36 80 s -> "0 1: 01 :2 0".		


Name	Connector pane	Description	S.	R.	I.
:imgpath: empty.png [empty.png]	Unix Epoch to LV Timestamp	:imgpath: hse_misc.lvlib_Unix_Epoch_to_LV_Timestamp.vi _.png [hse-misc.lvlib:Unix Epoch to LV Timestamp.vi]	Co nv ert a U ni x Ep oc h Ti m es ta m p (C ti m e_ t) to a La bV ie w Ti m es ta m p (U TC Ti m ez on e).		

Name	Connector pane	Description	S.	R.	I.
:imgpath: inlined.png [inlined.png]	Error_AddAdditionalInformation	:imgpath: hse_misc.lvlib_Error_AddAdditionalInformation. vi__.png [hse- misc.lvlib>Error_AddAdditionalInformation.vi]	Ad ds A dd iti on al Inf o< /b > to th e so ur ce of E rr or In </ b>		

Name	Connector pane	Description	S.	R.	I.
:imgpath: empty.png [empty.png]	Error_AppendErrorsToSource	:imgpath: hse_misc.lvlib_Error_AppendErrorsToSource.vi_ _.png [hse- misc.lvlib>Error_AppendErrorsToSource.vi]	Take the first element of >error s in </ b> and concat enate all other element s' code and source into the source of the first error		

Name	Connector pane	Description	S.	R.	I.
:imgpath: empty.png [empty.png]	Error_Clear	:imgpath: hse_misc.lvlib_Error_Clear.vi___.png [hse-misc.lvlib>Error_Clear.vi]	Clears the error in error in		
:imgpath: empty.png [empty.png]	Error_Helper_BuildCluster	:imgpath: hse_misc.lvlib_Error_Helper_BuildCluster.vi___.png [hse-misc.lvlib>Error_Helper_BuildCluster.vi]	Builds an error cluster from Code and Additional Info		

Name	Connector pane	Description	S.	R.	I.
:imgpath: empty.png [empty.png]	Error_Helper_OverwriteCluster	:imgpath: hse_misc.lvlib_Error_Helper_OverwriteCluster.vi __.png [hse- misc.lvlib>Error_Helper_OverwriteCluster.vi]	If Error Information with Code > and Additional Info.		





Name	Connector pane	Description	S.	R.	I.
:imgpath: empty.png [empty.png]	Error_Helper_RaiseError	:imgpath: hse_misc.lvlib_Error_Helper_RaiseError.vi____.png [hse-misc.lvlib>Error_Helper_RaiseError.vi]	If RaiseError? is true, , puts the error in ErrorToRaise on the error output and adds Additional Info > to the source of the er		


Name	Connector pane	Description	S.	R.	I.
:imgpath: empty.png [empty.png]	Error_Helper_RaiseErrorFromLabel	:imgpath: hse_misc.lvlib_Error_Helper_RaiseErrorFromLabel.vi___.png [hse- misc.lvlib:Error_Helper_RaiseErrorFromLabel.vi]	If R ais e? </ b> is tr ue , se ts an er ro r wi th co de se t by E rr or La be ls< /b > an d so ur ce by A dd iti on al Inf o< /b >		


Name	Connector pane	Description	S.	R.	I.
:imgpath: empty.png [empty.png]	Error_LogToFile	:imgpath: hse_misc.lvlib_Error_LogToFile.vi___.png [hse- misc.lvlib>Error_LogToFile.vi]	If >e rr or in </ b> is tr ue , wr ite s th e er ro r to th e fil e id en tifi ed by >p at h< /b > an d cl ea rs th e er ro r.		

Name	Connector pane	Description	S.	R.	I.
:imgpath: empty.png [empty.png]	Event_CloseRegistrationRef	:imgpath: hse_misc.lvlib_Event_CloseRegistrationRef.vi__. png [hse- misc.lvlib:Event_CloseRegistrationRef.vi]	U n r e g i s t e r s t h e g i v e n e v e n t r e g i s t r a t i o n f r o m t h e H S E- E v e n t		


Name	Connector pane	Description	S.	R.	I.
:imgpath: inlined.png [inlined.png]	Event_Generate	:imgpath: hse_misc.lvlib_Event_Generate.vi____.png [hse- misc.lvlib:Event_Generate.vi]	Ge ne ra te s an HS E- Ev en t an d se nd s N a m e< /b >, P ar a m et er </ b> an d D at a< /b > as ev en t da ta.		

Name	Connector pane	Description	S.	R.	I.
:imgpath: inlined.png [inlined.png]	Event_GetRefAndReg	:imgpath: hse_misc.lvlib_Event_GetRefAndReg.vi__.png [hse-misc.lvlib:Event_GetRefAndReg.vi]	Ge ts th e HS E- Ev en t ref nu m an d a ne w ev en t re gis tr ati on ref nu m for it.		
:imgpath: inlined.png [inlined.png]	Event_LoadOrCreateRefs	:imgpath: hse_misc.lvlib_Event_LoadOrCreateRefs.vi__.pn g [hse-misc.lvlib:Event_LoadOrCreateRefs.vi]	Re tu rn s th e ref nu m of th e HS E- Ev en t		
:imgpath: inlined.png [inlined.png]	Hash Core	:imgpath: hse_misc.lvlib_Hash_Core.vi__.png [hse-misc.lvlib:Hash Core.vi]			
:imgpath: empty.png [empty.png]	Hash	:imgpath: hse_misc.lvlib_Hash.vi__.png [hse- misc.lvlib:Hash.vi]			

Name	Connector pane	Description	S.	R.	I.
:imgpath: empty.png [empty.png]	Delete Duplicates From 1D- Array (String)	:imgpath: hse_misc.lvlib_Delete_Duplicates_From_1D_Arr ay_(String).vi___.png [hse-misc.lvlib>Delete Duplicates From 1D-Array (String).vi]	(v 0. 2. 1b ; 20 17 -0 8- 14 16 :4 4)		

Name	Connector pane	Description	S.	R.	I.
:imgpath: empty.png [empty.png]	Sort 2D-Array	:imgpath: hse_misc.lvlib_Sort_2D_Array.vi____.png [hse-misc.lvlib:Sort 2D-Array.vi]	Sorts a 2D string array by the column declared in Search parameters and by Sort Order .		


Name	Connector pane	Description	S.	R.	I.
:imgpath: empty.png [empty.png]	String_PadWithCharacters	:imgpath: hse_misc.lvlib_String_PadWithCharacters.vi__p ng [hse-misc.lvlib:String_PadWithCharacters.vi]	Ad ds c ha r (A SC II) </ b> ch ar ac ter s to s tr in </ b> un til it is l en gt h< /b > ch ar ac ter s lo ng . Co m m on AS CII ch ar ac ter s: 0x 09 ... ta b		
			0x 20		


Name	Connector pane	Description	S.	R.	I.
:imgpath: empty.png [empty.png]	String_StripNullValues	:imgpath: hse_misc.lvlib_String_StripNullValues.vi__.png [hse-misc.lvlib:String_StripNullValues.vi]	Re m ov es all N U L L va lu es fro m a str in g		


Name	Connector pane	Description	S.	R.	I.
:imgpath: empty.png [empty.png]	Generate Clone Name	:imgpath: hse_misc.lvlib_Generate_Clone_Name.vi____.png [hse-misc.lvlib:Generate Clone Name.vi]	Give n th e ful ly qu ali fie d na me of a VI (m ea ni ng th e na me in cl ud es an y lib ra ry na me es pa ce pr efi xe s), thi s VI ret ur ns th e na me of a cl on e of		

Name	Connector pane	Description	S.	R.	I.
:imgpath: empty.png [empty.png]	ShowRunningVIs	:imgpath: hse_misc.lvlib_ShowRunningVIs.vi____.png [hse- misc.lvlib:ShowRunningVIs.vi]	Re tu rn s a li st of VI s in me m or y		


or
the
first
cl
on
e
th
at
ge
ts
cr
ea
te
d,
bu
t
yo
u
ca
n
re
qu
es
t
th
e
Nt
h
cl
on
e
by
su
pp
lyi
ng
th
e
"C
lo
ne
nu
m

Name	Connector pane	Description	S.	R.	I.
:imgpath: empty.png [empty.png]	StringLogger	:imgpath: hse_misc.lvlib_StringLogger.vi____.png [hse-misc.lvlib:StringLogger.vi]	Simple helper VI for writing data to a log file.		
			Path Data		
			Label		
			for the folder structure, and		
			Function		
			is part of the		

Name	Connector pane	Description	S.	R.	I.
:imgpath: empty.png [empty.png]	TypeDescriptor_GetName	:imgpath: hse_misc.lvlib_TypeDescriptor_GetName.vi_.png [hse-misc.lvlib:TypeDescriptor_GetName.vi]	Fr o m th e La bV IE W O pe n So ur ce pr oj ec t Da ta M an ip ul ati on lib ra ry v1 .4. 0 by Fr an co is N or m an di n (ht tp s:/ /gi th ub .c o m/ La bV IE W- O pe n		

Name	Connector pane	Description	S.	R.	I.
:imgpath: inlined.png [inlined.png]	TypeDescriptor_GetPString	:imgpath: hse_misc.lvlib_TypeDescriptor_GetPString.vi__. png [hse- misc.lvlib:TypeDescriptor_GetPString.vi]	Fr o m th e La bV IE W O pe n So ur ce pr oj ec t Da ta M an ip ul ati on lib ra ry v1 .4. 0 by Fr an co is N or m an di n (ht tp s:/ /gi th ub .c o m/ La bV IE W- O pe n- So		

Scope:  → Protected |  → Community

Reentrancy:  → Preallocated reentrancy |  → Shared reentrancy

Inlining:  → Inlined

B.6. HSE-NETWORK.LVLIB


Responsibility: No description found (add content in lvlib description)



Version: 1.0.0.0

Table 35. Nested libraries

Name	Type
[NetStream.lvclass]	LVClass

Table 36. Functions (non private scope only)

Name	Connector pane	Description	S.	R.	I.
FTP_CreateRemotePath					
FTP_RemoveRemoteFile					
TCP Receive Message					
TCP Send Message		Send a message (measurement data, command, ...) via TCP. The message must be flattened to a string and the message typ is determined by the "Message Type Enum".			
UDP__ReceiveDataViaSystemEvent					
UDP__Send					
UDP__TransmitData					

Name	Connector pane	Description	S.	R.	I.
UDP_GetDataFromDevice					
UDP_SendData					
COM_ParseCommand		(v0.2.1b; 2017-08-14 16:44)			
GetNetworkInfo		(v0.2.1b; 2017-08-14 16:44)			
IP_CheckIfValid		Check if the string input is a valid IP address			
IP_ToDecimalString		(v0.2.1b; 2017-08-14 16:44)			
IP_ToHexString		(v0.2.1b; 2017-08-14 16:44)			
MAC_ColonToHex		(v0.2.1b; 2017-08-14 16:44)			
MAC_HexToColon		(v0.2.1b; 2017-08-14 16:44)			
MAC_ToHexString		(v0.2.1b; 2017-08-14 16:44)			
SystemConfigSession		(v0.2.1b; 2017-08-14 16:44)			

Scope:  → Protected |  → Community

Reentrancy:  → Preallocated reentrancy |  → Shared reentrancy














Inlining:  → Inlined











B.7. HSE-UI.LVLIB






Responsibility: No description found (add content in lvlib description)

Version: 1.0.0.0



Table 37. Functions (non private scope only)

Name	Connector pane	Description	S.	R.	I.
Dialogue_Error		Shows a dialog window for displaying an error message.			
Dialogue_OneButton		Shows a dialog window with a message and an OK button			
Dialogue_Password		Shows a dialog window for entering a password.			
Dialogue_String		Shows a dialog window for entering a string value.			
Dialogue_TwoButton		Shows a dialog window with a message and two buttons (default: "Ok" and "Cancel")			
Dialogue_UserCredentials		Shows a dialog window for entering user credentials (username and password).			
FPControl					
MultiColumnListBox_ColorRows		Colors the rows of a MCLB in alternate colors. If Parent VI Reference is supplied, panel updates are deferred.			
MultiColumnListBox_Resize		Resizes the columns of a MCLB according to the widths given in Column Widths [%] . If Parent VI Reference is supplied, panel updates are deferred.			
MultiColumnListBox_Resize_Absolute		Resizes the columns of a MCLB according to the widths given in Column Widths [px] . The column with the index in Flex Column Index uses the remaining space. If Parent VI Reference is supplied, panel updates are deferred.			
MultiColumnListBox_UnColorRows		Colors the rows of a MCLB in alternate colors. If Parent VI Reference is supplied, panel updates are deferred.			
PanelUpdates_Defer					
PanelUpdates_Enable					

Name	Connector pane	Description	S.	R.	I.
Subpanel - Load VI		<p>Opens the VI reference to Full Delimited Name and inserts it into SubPanel in. The reference of the inserted VI is returned in Subpanel VI Ref OUT.</p> <p>If Subpanel VI Ref IN is a valid reference, the front panel of the referenced VI is opened hidden before removing it from the subpanel in order to avoid losing the VI from memory.</p>			
Toggle Radio Buttons		No description found (add content in vi description)			
Window Color to Transparent					
Window Handle		This VI will use the FindWindow API function to retrieve a window refnum for the window identified by window name. 'window name' is the text appearing in the title bar of a window. If the window cannot be found, the window refnum out will be 'Not a Window Refnum', and an error will occur.			
ProgressPopup					
ProgressPopup_Close		Closes the modal progress window.			
ProgressPopup_Show		<p>Shows a modal window with an animated progress bar, indicating that some (background) process is running.</p> <p>The Title of the window and the Message being displayed can be specified.</p>			
ProgressPopup_Update		Closes the modal progress window.			
ProgressPopup_WithStatus					
ProgressPopup_WithStatus_Close		Closes the modal progress window.			

Name	Connector pane	Description	S.	R.	I.
ProgressPopup WithStatus_Sh ow		<p>Shows a modal window with an animated progress bar, indicating that some (background) process is running.</p> <p>The Title of the window and the Message being displayed can be specified.</p>			
HSE_AboutScr een					
PROJECT_Spla shScreen_Tem plate		No description found (add content in vi description)			
Screen_ShowH seAbout					
Screen_ShowP rojectAbout					

Scope:  → Protected |  → Community

Reentrancy:  → Preallocated reentrancy |  → Shared reentrancy

Inlining:  → Inlined

B.8. HSE-DB-ADO.LVLIB

Responsibility: No description found (add content in lvlib description)

Version: 1.0.0.0

Table 38. Nested libraries

Name	Type
[DB-ADO.lvclass]	LVClass
ADO-DB-Driver.lvlib	Library

This library has no functions set to non private scope.

B.9. ADO-DB-DRIVER.LVLIB

Responsibility: ADO-DB driver.

Version: 1.0.0.0

Table 39. Functions (non private scope only)

Name	Connector pane	Description	S.	R.	I.
convert " to NULL	String In length  Formatted String	No description found (add content in vi description)			
Convert from date-first Timestamp	dtm string  Timestamp	No description found (add content in vi description)			
Convert to date-first Timestamp	DTTM (Now)  insertion string	No description found (add content in vi description)			
format floats for database	Number  Insertion String	No description found (add content in vi description)			
format floats[] for database	[hse db ado.lvlib ADO DB Driver]_for_database.vi_.png[hse-db-ado.lvlib:ADO-DB-Driver.lvlib:format floats[] for database.vi]	No description found (add content in vi description)			
Close Recordset+	Recordset  error in error out	No description found (add content in vi description)			
Create New Record in Recordset	Field Values Recordset error in (no error) Field Names  Recordset Out error out	No description found (add content in vi description)			
Open Recordset+	Connection Source Recordset Parameters error in (no error)  Recordset error out	No description found (add content in vi description)			
parse field names from SELECT statement	Select String  variant(field names)	No description found (add content in vi description)			
Read Recordset (DBVIEW)	Recordset In No. of rows error in  Recordset Out tabular data graphical data error out Rows Returned	No description found (add content in vi description)			
Read Recordset (DOUBLE)	Recordset In Max Rows to Fetch (-1 = all) error in (no error)  Recordset Out Data out Rows Returned error out Field Names	No description found (add content in vi description)			
Read Recordset (STRING)	Recordset In Max Rows to Fetch (-1 = all) error in (no error)  Recordset Out Data out Rows Returned error out Field Names	No description found (add content in vi description)			
Read Recordset (VARIANT)	Recordset In Max Rows to Fetch (-1 = all) error in (no error)  Recordset Out data out Rows Returned error out Field Names	No description found (add content in vi description)			

Name	Connector pane	Description	S.	R.	I.
SQLSTATE Lookup	SQLSTATE Value  SQLSTATE Description	No description found (add content in vi description)			
_Database Driver Catalog		No description found (add content in vi description)			
Close Connection+	Connection  error in error out	No description found (add content in vi description)			
Create and Read Recordset	Connection In Source Recordset Parameters error in (no error) Max Rows to Fetch (-1 = all)  Connection Out Selection Data Rows Returned error out Field Names Fetched	No description found (add content in vi description)			
Execute SQL Command (no data returned)	Connection In SQL Command error in  Connection Out records effected error out	No description found (add content in vi description)			
Get Database Errors	Connection In My Errors ADO Open Errors  Connection Out error out	No description found (add content in vi description)			
Get Table Info	Connection in  Connection out Info out error out	No description found (add content in vi description)			
Insert BLOB data	Data In (Variants) Connection In BLOB Recordset definition S... Recordset Parameters error in  Connection Out error out	No description found (add content in vi description)			
Open Connection+	Connection String error in (no error)  Connection ADO Version error out	No description found (add content in vi description)			
Rollback Transaction on Error	Connection In  Connection Out error out	No description found (add content in vi description)			
Set Command Timeout	Connection In CommandTimeout error in  Connection Out error out	No description found (add content in vi description)			
Start Transaction	Connection In  Connection Out error out	No description found (add content in vi description)			

Scope:  → Protected |  → Community

Reentrancy:  → Preallocated reentrancy |  → Shared reentrancy

Inlining:  → Inlined

B.10. HSE-DB-MYSQL.LVLIB

Responsibility: No description found (add content in lvlib description)

Version: 1.0.0.0

Table 40. Nested libraries

Name	Type
[DB-MySQL.lvclass]	LVClass
MySQL (TCP).lvlib	Library















This library has no functions set to non private scope.

B.11. MYSQL (TCP).LVLIB

Responsibility: No description found (add content in lvlib description)

Version: 1.0.0.0

Table 41. Functions (non private scope only)

Name	Connector pane	Description	S.	R.	I.
Close Connection	 <p>connection ID in error in (no error) error out</p>	No description found (add content in vi description)			
Execute	 <p>connection ID in Query Timeout (60s) error in (no error) connection ID out Data Found? Field Names Recordset data out error out Packet Metadata</p>	No description found (add content in vi description)			
Open Connection	 <p>Authentication Server Address Port (3306) Retries (4) timeout (15s) error in (no error) connection ID out error out</p>	No description found (add content in vi description)			
Begin Transaction	 <p>connection ID in Error In connection ID out Error Out</p>	No description found (add content in vi description)			
Commit Transaction	 <p>connection ID in Error In connection ID out Error Out</p>	No description found (add content in vi description)			
Rollback Transaction	 <p>connection ID in Error In connection ID out Error Out</p>	No description found (add content in vi description)			
Validate Connection	 <p>connection ID in Error In connection ID out Valid? Error Out</p>	No description found (add content in vi description)			

Scope:  → Protected |  → Community

Reentrancy:  → Preallocated reentrancy |  → Shared reentrancy

Inlining:  → Inlined

B.12. HSE-DB-SQLITE.LVLIB

Responsibility: No description found (add content in lvlib description)

Version: 1.0.0.0

Table 42. Nested libraries

Name	Type
[DB-SQLite.lvclass]	LVClass

This library has no functions set to non private scope.